

# INDEX

## A

- Air leakage, 25, 162, 265
- Air-permeability test, 161
- Air pollution, 20, 47–48, 291
- Air source heat pump  
(ASHP), 6, 19, 38,  
211–212, 226–227, 229,  
231–232
- Airtight membrane, 37, 62,  
160, 163, 199
- Airtightness:
  - Blow test, 161–164
  - Breathability, 32–33,  
96–98, 154, 179
  - Draughts, 158–159, 164,  
257
  - Energy efficiency, 22, 37,  
79, 268
  - Sealant, 51
- Argon gas, 255

## B

- Battery, 235–236, 240–241
  - Back-up power, 241, 250
  - Bi-directional charging, 243
  - Environmental impact, 51,  
241
- Beginner's Guide to Eco  
Renovation, 10, 16, 129,  
158, 173, 289
- Bi-directional charging, 243
- Bifacial PV panels, 247
- The big five, 153
  - Airtightness, 153–154, 158,  
160–161
  - Renewable energy, 154,  
234
  - Sustainable heating, 154,  
210
- Bio-SIP, 191
- Blow test, 161–164

## INDEX

- Builder costs: 167  
Estimate, 102, 106, 110, 122, 140  
Final invoice, 121  
Quote, 59, 100, 102, 106, 108–109  
Timely payment, 117
- Building professionals, 127  
Architect, 128–129  
Architectural designer, 128–129  
Building inspector, 128, 132–133  
Interior designer, 128, 130–131  
Retrofit coordinator, 128, 134–135, 137  
Structural engineer, 128, 131–132
- Building regulations, 127, 136, 138–139, 171
- Building Control  
Completion Certificates, 136, 148  
Certificate of lawful development, 136  
Local authority, 28, 133, 136, 237  
Private building inspectors, 133  
Safety Regulator, 133
- Building, working styles:  
Design and build, 106, 112, 114, 118, 122  
DIY, 106, 115–116, 158, 167  
Individual tradespeople, 106  
Project management, 107, 134–135
- ### C
- Capillary active, 93  
Carbon emissions, 4, 44, 188, 213, 232, 279  
Carbon monoxide, 90  
Carbon taxes, 219  
CarbonLite, 40  
Cardboard, 82, 199, 267  
Cellulose, 51, 91, 191, 197, 199  
Cement, 48, 71, 86, 95, 156, 188, 275  
Clay plaster, 17, 180, 200, 205–207  
Closed-cell, synthetic insulation, 187  
Coal, 19, 45–46, 48, 53, 191  
Coefficient of performance (COP), 218–219  
Communication, 61, 103, 105, 215, 229  
Compacted hardcore/6F2, 190  
Concrete, 48, 51, 86, 156  
Modern brick, 87  
Condensation, 20, 27–28, 32, 50, 138, 157, 257  
Conduction, 81

## INDEX

- Continuing professional development (CPD), 129
- Contract, basic clauses, 145
- Accidental damage, 148, 150
  - Accidents, 148, 151
  - Agreement about managing, 148
  - Change of design, 147
  - Consideration, 4, 145–146, 243
  - Dates, 145–146
  - Dispute resolution, 146
  - Extras, 105, 147, 279
  - Liability insurance, 147
  - Payment plan, 146
  - Retention clauses, 148
  - Termination, 146
  - Waste management, 147, 268
- Contracts, elements of, 145
- Acceptance, 145
  - Consideration, 145–146
  - Intention, 145
  - Offer, 145
- Contracts, practical help, 149
- Federation of Master Builders, 59, 150
  - Joint Contracts Tribunal (JCT), 149
  - The Place Between, 150
- C.U.In glass, 258
- D**
- Damp/wet wall, 32, 41, 155
  - Decrement delay, 85, 168–169
  - Dew point, 169
  - Diffusion of Innovations, 215
    - Cold bridging, 265
    - Early adopters, 215–216
  - Double glazing:
    - New, 257
    - Old, 257
  - Draughts, where to find, 164
    - Ceiling lights, 164
    - Doors and windows, 164
    - Down chimneys, 164
    - Floorboards, 159, 164
    - Pipe inlets, 164
    - Skirting board, 164
- E**
- Eco-architect, 6
  - Eco builder, 6, 23, 51, 79, 158, 185, 234
  - Eco-friendly, 54, 62, 89, 96, 169, 189–190, 195, 201
  - Eco homes, 21
  - Eco Renovation, 10, 16, 129, 158, 173, 289
  - ECO4 grant scheme, 252
  - Electric vehicle (EV), 53, 243
  - Embodied carbon, 76, 78–79, 89–93
    - Construction, 47, 78
    - End of life, 78
    - Maintenance, 78
    - Manufacture, 78

## INDEX

- Raw material extraction, 78
- Transportation, 78–79
- Energy cost, 55, 246
  - Marginal wholesale price, 218
- Energy-efficient homes, 1, 37, 40, 157
- Energy Performance Certificate (EPC), 9, 25, 37, 135
- EnerPHit-level retrofit, 38
- European environmental label, 203
  - Clean and efficient production, 203
  - Protection of the environment and people's health, 203
- Everything Electric Show, 227
- Expanded and extruded polystyrene (XPS), 48, 87, 91, 157, 191
- Extractor fans, 171, 173
- F**
- Federation of Master Builders, 59, 150
- Fibre glass, 87, 90
- Flemish bond, 196
- Floorboards, 18, 25, 28, 154, 158–159, 164, 225, 276
- Foam glass aggregate (FGA), 191, 195
- Foil-backed petrochemical board, 79
- Fossil fuel, 216, 289
- Future-proof, 5, 18, 50, 54, 156, 163, 227
- G**
- Glazing, 11, 31–32, 255–265, 279
  - Argon gas, 255
  - Double glazing, 31–32, 255, 257, 262–265
  - Krypton gas, 255
  - Triple glazing, 255–258, 260
- Global warming potential (GWP), 91, 94
- Goodall, Jane, 242
- Grand Designs, 78, 201
- Graphite polystyrene (GPS), 191
- Green Seal, 97
- Greenhouse gas, 45, 47–48, 78
- Greywater, 269–271, 280, 287
- Grid management:
  - Bi-directional charging, 243
  - Distribution network operator (DNO), 249–250, 254
- Ground source heat pump (GSHP), 211–212

## INDEX

### H

Healey, Julia, 158  
Heat Geek, 218, 220, 222  
Heat pumps, 210–221  
    Air source heat pump  
    (ASHP), 211–212  
    Coefficient of performance  
    (COP), 218–219  
    Ground source heat pump  
    (GSHP), 211–212  
    Seasonal coefficient of  
    performance (SCOP),  
    218–220  
    Underfloor heating (UFH),  
    224–227, 231  
    Weather compensation,  
    230–231  
Heating alternatives, 212  
    Biomass boilers, 212  
    Electric combi boilers, 212  
    Geothermal systems,  
    212–213  
Hemp insulation, 18, 54, 137,  
    195, 198, 224  
Hempcrete, 51, 137, 187,  
    191–192  
Heritage pane, 258  
Homes, Barratt, 14  
    Build net zero homes from  
    2030, 14  
House value, 37  
Humidity, 22–23, 176, 193,  
    206  
Humidity monitor, 206–207

Hydrofluoroolefins (HFOs),  
    91, 94

### I

Indi-Nature, 198  
Insulation, 165–170  
    External wall insulation  
    (EWI), 166–167, 186, 202  
    Internal wall insulation  
    (IWI), 166–167, 214  
Insurance, 94, 100, 129,  
    147–148, 150  
    Employer's liability (EL),  
    150  
    Public liability (PL), 150  
Interior decorator, 130  
Internal designer, 112  
Internal temperature, 83, 85,  
    284

### J

Joint Contracts Tribunal  
(JCT), 149

### K

K value, 81–82, 84, 197  
The Kelvin scale, 86  
Kilowatt hours (kWh), 36, 252  
Krypton gas, 255

### L

Lime plaster, 16, 98, 156,  
    195, 199, 204–205

- Limescale, 272–274, 280  
 Low lambda value, 80
- M**
- Materials, basic, 86  
   Cement, 48, 86, 156  
   Concrete, 48, 51, 86, 156  
   Modern brick, 87
- Materials, building with  
   natural, 187  
   Bio-SIP, 191  
   Clay bricks, 187, 193, 195  
   Glass aggregate/glass  
     beads, 187  
   Hempcrete, 51, 137, 187,  
     191–192  
   Screw piles, 51, 187, 189,  
     194  
   Straw bale houses, 187  
   Tyrecrete, 187, 192
- Materials, conventional:  
   Concrete, 27, 48, 51–52,  
     86, 156, 161, 184,  
     188–192, 194, 239  
   Foam insulation, 91  
   Synthetic material, 8, 10,  
     50, 54, 180, 183, 197
- Materials, high-carbon, 48  
   Cement and concrete, 48  
   New bricks, 48, 278  
   Steel and aluminium, 48
- Materials, highly efficient and  
 effective, 51
- Innovative concrete  
 alternatives, 51  
 Low-carbon/bio-based  
 materials, 51  
 Low-VOC paints and  
 finishes, 51  
 Natural insulation, 51,  
 201, 205, 285  
 Recycled and reclaimed  
 materials, 51
- Materials, insulation, 87, 136  
 Different working models  
 when employing  
 builders, 106  
 Fibre glass/glass wool, 87,  
 90  
 Mineral wool, 87, 92  
 PIR insulation/PUR, 87  
 Spray foam, 87, 93–94  
 XPS/EPS, 87
- Materials, natural insulation,  
 197  
 Cellulose, 197, 199  
 Denim, 30, 197, 200–201,  
 208  
 Diathonite, 197, 202, 208  
 Hemp fibre, 197, 205  
 Sheep's wool, 197, 201  
 Sisal, 197, 200, 208  
 Wood fibre, 197–199
- Materials, toxic,  
 non-renewable, 48  
 Composite wood products,  
 48, 78  
 Fibreglass, 48

## INDEX

- PVC (Polyvinyl chloride), 48
- Synthetic insulation, 30, 48, 88, 284
  - Fibre glass/glass wool, 87, 90
  - Mineral wool, 87, 92
  - PIR, 7–8, 48, 87–88, 90
  - Spray foam, 87, 93–94
  - XPS/EPS, 87
- Mechanical ventilation
  - system, 172, 261
- Microbore pipes, 222–223
- Microinverters, 238–239
- Mineral wool, 87, 92
- Moisture, 20, 28–29, 31–32, 186–187
- Moisture risk, 40
- Mould, 77, 157, 167, 257
- N**
- New Homes Net Zero
  - Transition Plan, 14
  - Pathway and metrics for decarbonisation, 14
- Noise pollution, 47
- O**
- Octopus Energy, 14
  - Zero bills homes, 14
- Off-gassing, 30, 50, 77–78, 89–90, 93, 97, 169
- Open-cell structure, insulation, 187
- Organisations, 149
  - Architects Registration Board (ARB), 129
  - Association for Environment Conscious Building (AECB), 40
  - Distribution network operator (DNO), 249–250, 254
  - Ecological Building Systems (EBS), 73
  - Energy regulator (Ofgem), 184, 250
  - Federation of Master Builders (FMB), 59, 150
  - National Federation of Builders (NFB), 59
  - Registered building control approver (RBCA), 133
- Oriented strand boards (OSD), 191
- Overheating: Part O, 260–261
  - Solar gain control, 261
  - Thermal insulation, 261
  - Ventilation, 261
- P**
- Parking, 69–70, 74
- PAS 2035 (Publicly Available Specification 2035), 28–29, 34, 40, 134
- Passive House, 14, 38–39, 140, 163, 239, 263

## INDEX

- Pavatextil, 201
- Personal protective equipment (PPE), 89, 116
- Photovoltaic (PV), 238, 245–248
- PIR insulation, 7, 87, 137, 180, 284–285
- Planning permission, 106–108, 128, 136
- Plasma-ion treatment, 201
- Plaster options, 204
  - Clay plaster, 205–208
  - Gypsum plaster, 204
  - Lime plaster, 204–205
- Plasterboard, 95–96, 155–156
- Plastic pipework, 222–223
- Plumber, 68, 74, 112, 148–149, 164
- Polystyrene, 48, 91, 157, 186, 191
- Preloved materials, 268, 278, 280
- Principal designer (PD), 107, 127, 140
- Professional indemnity insurance, 129, 150
- Project manager, 108, 112, 116, 133–134
- PVC (Polyvinyl chloride), 48
- Q**
- Quality assurance:
  - European environmental label, 203
  - Natureplus Eco label, 203
  - Sustainability of resources, 203
  - Trustmark, 60
- R**
- R value, 82, 168
- Rainwater, 268, 270–271, 280, 287
- Recycled materials, 54, 195, 276, 278
- Reducing landfill, 11, 53
- Renovation, 5, 16–19, 125–126
- Retrofit, 28–31, 41, 153
  - Ventilation, controlled, 5
- Retrofit advice:
  - Expertible, 135, 141
  - Her Own Space, 141
  - The Place Between, 150
- Retrofit assessor, 134
- Reusing waste, 11
- Rigid solar panels, 246
- Roof-integrated PV, 247
- S**
- Scaffolding, 119, 166, 277
- Scope of works, 117
- Screw piles, 51, 187, 189, 194
- Seasonal coefficient of performance (SCOP), 218–220
- Secondary glazing, 257, 265
- Sheeps wool insulation, 197, 201

## INDEX

- Borax, 201
  - Natural material, 136, 169
  - Shock ventilation, 172
  - Signalling intent, 144
  - Single glazing, 257
  - Single-room heat recovery units, 37, 171, 173, 175–176
  - SIPS (Structural insulated panels), 190–191
  - Skip, cost, 118–119
  - Solar:
    - Batteries, 11, 242–243, 252
    - Bifacial PV panels, 247
    - Photovoltaic (PV), 238, 245–248
    - Rigid panels, 246–247
    - Selling to the grid, 11
    - Thermal solar, 245
  - Solar panels, types of, 245
    - Photovoltaic (PV), 238, 245–248, 253
    - Thermal solar, 245
  - Solar thermal panels, 245
  - Solar tiles, 248, 253
  - Sole builder, 111–112, 118–119
  - Specific heat capacity, 83–84
  - Spray foam, 87, 93–94
  - Stay Warm for Less, 160
  - Steam diffusion (SD), 97–98, 208
    - Breathability, 96–98
    - Paint, 50–51, 96–98, 207–208
    - Trapped moisture, 169
    - Vapour open materials, 179
  - Stretcher bond, 27
  - String inverter, 238
  - Strocks, 193
  - Sunamp heat battery, 222
  - Sustainable heating, options, 11, 33, 289
    - Air source, 11, 38, 211–212, 227, 232
    - Biomass, 11, 212–213
    - Electric combi, 212–213
    - Geothermal, 212–213
    - Ground source, 11, 211–213
  - Sustainable insulation, 7, 170
- ## T
- Thermal diffusivity, 83–84
  - Thermal energy, 83
  - Thermal envelope, 24–25, 160
  - Thermal imaging camera, 31, 159
  - Thermal mass, 84, 139, 169, 181
  - Thermal resistance, 82, 93, 168, 192
  - Thermal solar, 245
    - Thin film panels, 249
  - Thin film panels, 249
  - Throat irritation, 77, 89, 93, 285

## INDEX

- Touchstone, 7–8, 256, 276
- Toxins in beautifying the home, 50
  - Furniture, 50
  - Toxic paints, 50
  - Vinyl and laminate flooring, 50
- Trickle vents, 162, 171–172
- TrustMark, 60
- U**
- U value, 81, 100, 137–140
- UK Green Building Council, 283
- Underfloor heating (UFH), 68, 74, 214, 224–227, 231
- Unity lime, 192, 202
- V**
- Vapour permeable, 30–31, 89, 96–97, 179, 205
- VAT, on retrofit, 106
- Ventilation, 162, 164–165, 170–172, 174–175, 177
  - Air changes per hour (ACH), 161–163, 171
  - Heat recovery units, 16, 37, 171, 173, 175–176
  - Mechanical ventilation
    - heat recovery (MVHR), 32, 177–179
  - Trickle vents, 162, 171–172
  - Victorian sub-floor void, 27
  - Vinyl, 50, 98
  - Visit a Heat Pump, 211, 216
  - VOCs, 30, 48, 50–51, 76–78, 89–93, 285
    - In building materials, 77
- W**
- Warm Homes: Social Housing Fund, 28
- Waste production, 47, 49
- Water:
  - Conditioners, 273–274
  - Consumption, 11
  - Pollution, 47
  - Quality, 11, 273
  - Softeners, 272
- Water management, 270, 288
  - Collect it manually, 269
  - Greywater, 269–271, 280, 287
    - Simple plumbing, 269
- Water usage optimization, 287
  - Greywater systems, 270, 287, 291
  - Low-flow fixtures, 287
  - Rainwater harvesting, 271, 287
- Weather compensation, 230–231
- Window frames, 48
  - Timber-aluminium, 259
  - Timber frame, 190, 194
  - UPVC, 259

## INDEX

- UPVC-aluminium, 259
- Wood fibre insulation, 140,  
199, 279
- Wood wool board, 194

## **Y**

- York Council, 14
  - Building 400 zero carbon  
homes, 14